

Instruction for use

IMM1048_IFU.Version8.2020-09-15



EasyTurn

imedia
by Etac

Index

Illustrations.....	3
User manual - English	4
Bruksanvisning - Svenska.....	9
Bruksanvisning - Norsk	14
Brugervejledning - Dansk.....	19
Käyttöohjeet - Suomi.....	24
Gebrauchsanweisung - Deutsch ...	29
Gebruiksaanwijzing - Nederlands ...	34
Instruction d'utilisation - Francais...	39
Istruzioni per l'uso - Italiano	44
Instrucciones de uso - Español	49

See www.etac.com



Illustrations

ILL.

GB

SV

NO

DA

FI

DE

NL

FR

IT

ES



1



2



3



4



5



6



7



8

General

Thank you for choosing an Etac product.

To avoid accidents and injury when moving and handling the products, please read this manual carefully.

The person described as “the user” in this “Instruction for Use” is the person who is lying or sitting on the product. The carers are the people who manoeuvre the product.



This symbol appears alongside the text in the manual. It draws the reader’s attention to points at which there may be a risk to the health and safety of the user or carer.

These products comply with the standards applicable for Class 1 products in the Medical Device Regulation (EU) 2017/745 on medical devices.

At Etac we strive to continually improve our products and therefore we reserve the right to make changes to products without prior warning. All measurements given on illustrations and similar material are for guidance only and Etac cannot be held liable for errors and defects.

The information given in this manual, including recommendations, combinations and sizing, does not apply to special orders and modifications. If the customer makes adjustments, repairs or uses combinations not predetermined by Etac, the Etac CE certification and Etac warranty will not be valid. If in doubt, please contact Etac.

Warranty: Two-year warranty on material and manufacturing defects, provided that the product is used correctly.

Expected lifetime: The device has an expected service life of 1 to 2 years under normal use. The service life of the device varies depending on usage frequency, loads and how often and how it is washed.

For further information on the Etac Patient handling, see www.etac.com.

In case of an adverse event occurred in relation to the device, incidents should be reported to your local dealer and the national competent authority in a timely manner. The local dealer will forward information to manufacturer.

Symbols in general



Washing



Disinfect / Wipe off



Warning



Manufacturer



Do not bleach



Never leave on the floor



Production year, month and day



CE -certification



Tumbledry



Risk of sliding down



Batch no./Lot no.



Keep dry



Iron



Keep out of the sun



User mass limit = maximum rated load



Non sterile



Do not dryclean



Read the user manual



The product can be scrapped according to national regulations



Article number



Medical device

Intended use

EasyTurn has been developed especially for use on car seats to make entering/exiting the vehicle easier. EasyTurn can also be used to turn the user in/out of a bed or chair.

The two nylon sides facing each other reduce friction during turning. EasyTurn has a non-slip underside to ensure that the device rests firmly on the seat.

Intended environment

Acute care, Long-term care, Home care

Practical handling

Positioning

Position EasyTurn centrally on the car seat/edge of the bed, chair, etc.

Use

In the car:

The user seats him/herself on the centre of EasyTurn. The user then raises either both legs simultaneously or one leg at a time inside the vehicle, thus turning the body inside the car (EasyTurn is also perfect for turning the user inside the vehicle) (Illustrations 1, 2 and 3). This avoids unnecessary strain on the body. To exit, the user swings both legs out of the car, preferably in stages, before raising him/herself to the standing position.

On a chair:

Position EasyTurn on the chair. The user seats him/herself on the chair and turns/is turned towards the table (possibly with assistance from a carer) (Illustrations 4 and 5).

In/out of bed:

The user seats him/herself centrally on EasyTurn and can now easily turn/be turned in bed.

Then EasyTurn can be removed, by the user moving their weight to the opposite side. The user moves their weight to the opposite side to where he/she will leave the bed.

Position EasyTurn so that the hip bone is at an angle to EasyTurn and/or EasyTurn extends only just past the sacrum/coccyx.

The user then raises him/herself to the seated position and can swing their legs over the edge of the bed (Illustrations 6, 7 and 8).

To help move the legs in the bed, a OneManSling can be used.

Notice

Special features

Always check the product before use and after washing.

Never use a defective product. If the product shows signs of wear-and-tear, it must be scrapped.

Read these instructions carefully.

It is important that carers receive instruction in manual handling. Etac offers advice and training for carers. For further information, contact Etac.

Always use the correct manual handling techniques.

Encourage the user to assist where possible.

To ensure that the user feels safe and that every manual handling is smooth, always plan the manual handling in advance.



Never leave the product on the floor.



For optimal turning effect, make sure that the user is seated in the middle of EasyTurn.



Do not take EasyTurn apart – For safety reasons, if the components are taken apart, they may not be put together again. In such cases, the product must be scrapped.

Always conduct a risk assessment, and ensure that the assistive product can be used for the individual user and, in combination with other devices, that it is safe for the user and carers.

If in any doubt - please contact Etac.

Material and cleaning

Material:

Top side: Polyester

Inner surface: Nylon

Back side: Non-Slip

Connector disc: synthetic.

The product should be checked regularly, preferably each time it is used, and especially after washing.

Check that there is no damage to seams or fabric.



Never try to repair a product yourself.
Never use a defective product.

Washing instructions:

Do not use fabric softener.

Clean the product with a solvent-free cleaning agent with a pH level between 5-9, or a 70% disinfection solution.



Products and accessories

Article no.	Product Description	Size (mm)
IM999405	EasyTurn	Ø400
IM990454	EasyTurn	Ø450
IM999505	EasyTurn	Ø500

ILL.

GB

SV

NO

DA

FI

DE

NL

FR

IT

ES

Service information

Inspection

First inspection:

- Is the packaging intact?
- Read the label on the packaging and check the article no. and product description
- Check that Short Instruction is enclosed – updated User Manual/Instruction for use can be downloaded from www.etac.com or contact your Etac Customer Service or the local dealer.
- Check the label on the product - does it include article no., product description, lot/batch no., cleaning instructions and supplier name?

Periodic inspection:

- Make sure that your Manual transfer system always is in a perfect condition.
- After wash – always check materials, stitching, handles, buckles.
- If the product shows signs of wear and tear, it must be removed from service immediately.



Visual inspection/Check the product:

Ensure that the materials, seams, stitching, handles, buckles are intact/faultless.



Stability test:

Try to bend the product verify that it feels firm, stable and solid.



Mechanical load or stress/Test handles:

Draw hard in the handles in opposite directions and control the material, seams and stitching.

Test buckles:

Lock the buckle and draw in opposite directions, control the buckle and the stitching.



Test low/high friction:

Place the product on a firm surface or a bed, place your hands on the material and test the friction by pushing your hands down into the product.

Low friction – slides effortlessly
High friction – no sliding/moving

Check:

Manual transfer aids with handles, straps and buckles:



Manual transfer aids with for sitting and lying transfer and with high or low friction:



Production year, month and day



The product can be scrapped in accordance with national regulations



Read the user manual